

RANGE AND TRAINING REGULATIONS

Range: R-130I	Lateral Limits: Left from grid 61772 85885 at 022 degrees mag Right from grid 61787 85873 at 034 degrees mag	Min/max Engagement Distance: Pistol/Shotgun: Min 7 meters (weapon dependent) Max 500 meters (From Hides)	Range Facilities: Sniper House; ammo table; port-a-johns
Location: 618 856	Boundaries: As depicted in Graphics		
Type: Sniper House			
Troop Penetration Line: Not beyond target area	Impact Area: X-Ray	Range Phone Number(s): NA	Allowable Wpns: Rifles, 7.62 and below (300 Win Mag Included); pistols & SMGs, .45 cal. and below; shotguns; Flash Bangs (external use only)
			Assigned to: CG, MARSOC Date Revised: 25 September, 2006

GENERAL INSTRUCTIONS

- 1. A safety Brief will conducted prior to each live fire event to all participants.**
2. IOT occupy this range unit must have the following personnel/equipment:
 - a. RSO
 - b. Corpsman & Safety Vehicle
 - c. Positive Communication with LONGRIFLE
 - d. If ammunition is present on range - Ammo Guards will be armed.
3. IOT go into a hot status on range unit must have the following personnel/equipment:
 - a. OIC
 - b. RSO
 - c. Corpsman & Safety Vehicle
 - d. Positive Communication with LONGRIFLE
- 4. RSO will verify the left and right lateral limits utilizing a compass and map.**
 - a. Overall range lateral limits will be identified.
 - b. Each firing position lateral limits will be identified.
5. The RSO & OIC will personally observe each live fire event.
- 6. A signed ORM must be on hand IOT conduct training.**
- 7. A non-participating Corpsman will be stationed with safety vehicle.**
8. **A full rehearsal will be conducted prior to live fire.**
- 9. At no time will any unit go from live fire to blank or SESAMS force-on-force within a 24 hour period**
10. Ammunition will only be issued per event and accounted for on NAVMC 11381.
11. After each event, unit leaders will conduct a line out.
12. Ensure all weapons are cleared and inspected prior to departing the firing line.
13. All weapon malfunctions shall be corrected per the appropriate TM/FM, and unit SOP.

Scheduling

1. Scheduling of this range must be approved by SMTB at (760) 763-3172/3170.
2. The OIC of any external unit/agency that requests Range 130I is required to submit the following information in writing to SMTB:
 - a. Certification that all weapons to be to be used have undergone limited technical inspection (LTI).
 - b. Concepts of operations with ORM.
 - c. Explanation of training background.
3. Once approval from SMTB has been given, unit will utilize RFMSS to schedule range.

Scheduling Conflicts	R130I Sniper House	Conflict Notes
Breaching Facility	2	Note (1) – Sniper Hides will use 15-degree rule for flanking fires IOT establish the MSL. Note (2) – In conflict if utilizing explosive breaches of 15 NEW. Note (5) – All Air must ingress and egress south of Bay 2.
Sniper Hide 1	1	
Sniper Hide 2	1	
Sniper Hide 3	1	
Aerial Platforms	5	
LZ	5	

RANGE AND TRAINING REGULATIONS

SPECIAL INSTRUCTIONS

1. **At no time will any unit (Marine/other Military Services or Civilian Agency) utilize R130I without the presence of an SMTB Instructor who must be a valid Camp Pendleton OIC/SO.**
2. At any time personnel are required to move down range all weapons must be condition 4.
3. At no time will targets be placed down range at an altitude greater than 600' MSL.
4. Steel targets –
 - a. All pistol & Shotgun engagements will be conducted IAW SOUM 2-02.
 - b. At no time will rifle engagements be closer than 100 yards.**
5. Sniper House Static Fire–
 - a. A SMTB Instructor or Qualified OIC/RSO will verify bore line to ensure projectile path is free of obstructions.
 - b. A SMTB Instructor or Qualified OIC/RSO will position themselves in a safe position to ensure that no personnel cross or enter the GTL.
 - c. When shooting from the upper and lower decks no personnel in the lower decks are to be located forward of the upper deck position
 - d. Steel balcony rails are to be removed when firing from the rooms located in the upper deck.
 - e. When firing from the balcony, rails may be left in place as long as muzzles are forward of rails.
6. Sniper House Movement Drills Through House –
 - a. A SMTB Instructor or Qualified OIC/RSO will ensure that the following conditions are met:
 - i. Weapons in Condition 3
 - ii. Positive control of weapon
 - iii. Four safety rules in effect
7. Sniper House Movement Drills to Tower or Roof Position –
 - a. A SMTB Instructor or Qualified OIC/RSO will ensure that the following conditions are met:
 - i. Weapons in Condition 3
 - ii. Weapon slung to ensure safe position use of tower ladder or trap door
 - iii. At no time will a shooter be allowed to climb the tower ladder with weapon in hand**
 - iv. No personnel in the lower decks are to be located forward of the upper positions**
 - v. Four safety rules in effect
8. Stress drills that involve movement from locations on the R130 Complex to R130I are authorized. All weapons must be in condition 3.
9. **Firing into the Sniper House from R130J 1-3 (Sniper Hides) is authorized under the following conditions:**
 - a. All targets replaced within the listed Lateral Limits.
 - b. Steel bullet traps rated for rifle fire are in place.
 - c. Targets placed forward of the Sniper House present a clear projectile path and do not require a bullet trap.
10. For all EMP training:
 - a. Must be completed forward of the Sniper House.
 - b. All EMP targets must be of softwood uprights, cardboard backing paper or cardboard targets.
 - c. Any metal bases used must be soft metal.

Sniper Shoot House

