

RANGE AND TRAINING REGULATIONS

POVs are authorized to park at either the tower parking area or the 1000 yard line parking area.

No Off Road Vehicle Travel

Range: R-117A	Lateral Limits: 100 thru 900-yrd line 64737 89105 to 64690 89130 LLL 195° mag - RLL 195° mag 1000-yrd line 64758 89202 to 64703 89224 LLL 193° mag - RLL 193° mag 1400 yard line 64925 89524 to 62889 89541 LLL 178° mag - RLL 188° mag Tower FP 64956 89543 LLL 179° mag - RLL 190° mag	Allowable Weapons: Rifles, - 7.62 and below (No Tracers) Rifles: 300 WInMag Pistol - 45 Caliber & Below Service Shotgun - All	Assigned to: CO, MCB Date Revised: 7 March, 2012
Type: KD Sniper Range		Range Facilities: Admin office; head facilities; firing towers; 3 control gates; 10 firing points at the 100, 300, 500, 600, 700 800, 900, 1000, 1400 fire lines; Tower Firing Point(s); SRS structures; Stalking movement area for steel targets	
Location: 6491 8953			
Impact Areas: X-Ray Impact Area			
Troop Penetration: Not beyond pit area	Min/max Engagement Distance: Min 3 yards Max 1400 yards		



Scheduling

1. Units shall utilize RFMSS to schedule this facility. Final scheduling of this facility must be approved by MCB Camp Pendleton Range Scheduling.
2. Scout Sniper Units have Primacy of use for this facility.
 - a. Non-Scout Sniper Units shall not schedule this facility any further out than seven (7) days from their event.

Scheduling Conflicts

Conflict Notes

Aliso Canyon	1	Note (1) – Closes any Movement.
R116A	2	Note (2) – R116A Closes Big End range road and entrance to butts at R117A
R117A	3	Note (3) – R117A Closes Little End butts of R116A

Special Instructions Continued on Next page

RANGE AND TRAINING REGULATIONS

General Instructions

1. **A safety Brief shall be conducted by the RSO prior to each event to all participants.**
2. **All personnel shall wear required PPE during all training events.**
3. **OIC & RSO Requirements -**
 - a. **Live Fire (All Other)**
 - i. **OIC Requirement – SSgt or Above**
 - ii. **RSO Requirement - Sgt or Above**
 - b. **No Munitions**
 - i. **OIC Requirement – None**
 - ii. **RSO Requirement - Cpl or Above**
 - iii. **LASER (If Used) LSSO Requirement - Sgt or Above**
3. IOT **occupy** this range unit shall have the following personnel/equipment:
 - a. RSO
 - b. Corpsman & Safety Vehicle
 - c. Positive Communication with LONGRIFLE
 - d. **An ORM reviewed and signed by the Command, RSO and (OIC - If using munitions).**
4. IOT go into a **hot status** on range unit shall have the following personnel/equipment:
 - a. OIC
 - b. RSO
 - c. **LSSO (Sgt) – If using Laser**
 - d. Corpsman & Safety Vehicle
 - e. Positive Communication with LONGRIFLE
5. The RSO & OIC shall personally observe each event.
6. **A non-participating Corpsman shall be stationed with safety vehicle.**
7. **When Range guards are not in sight of the RSO they are required to be posted in pairs with positive communication with the RSO.**
8. Ammunition will only be issued per event and accounted for on NAVMC 11381.
9. After each event, unit leaders will conduct a line out.
10. Each RSO/PSO shall certify to the OIC that all weapons are in Condition 4 prior to exiting the range/facility and all ammunition is accounted for.
11. All weapon malfunctions shall be corrected per the appropriate TM/FM, and unit SOP.

SPECIAL INSTRUCTIONS

1. **Units shall utilize radios to support communication requirements between firing line and butts.**
2. **Condition 1 status on weapons is authorized on firing lines only.**
3. Personnel shall proceed either on foot or by military vehicle to firing positions, targets, and range butts area.
 - a. Civilian vehicles **shall NOT be used** for this purpose.
4. Only the Safety vehicle and ammo/equipment vehicle shall be allowed to remain down range behind the firing line, all other vehicles must be moved back to the parking lot.
5. **The RSO shall ensure the tower, old access gate, and 116A BUTTS area gate safety flags are posted.**
 - a. **The RSO shall ensure all 3 access gates to R-117A are closed and locked when this range is in a hot status.**
6. Helicopters may over fly the area at 1,000' AGL and above. When firing an air sentry shall be designated to observe for aircraft entering into the range surface danger zone. In the event an aircraft enters the range surface danger zone, an immediate cease-fire shall be conducted and LONGRIFLE notified. Firing shall not continue until cleared by LONGRIFLE.

KD Range

1. **Target #1 on KD Range shall not be utilized.**
2. Range Personnel vehicles are authorized at all locations on the range – **Exception: not to be on top of firing berms.**
3. **Firing Lines will only be accessed from the ends of the firing berms.**

Unknown Distance Range

1. **Vehicles will not be parked any further forward than a-beam of the firing line.**
2. **No Steel Targets will be engaged:**
 - a. **Closer than 100 meters by rifle (Ball Ammo).**
 - b. **Closer than 25 meters by rifle (Frangible Ammo).**
 - c. **Pistol & Shotgun – Per SOUM 2-10**
3. **Pistol & Shotgun –**
 - a. **Pistol & Shotgun is only allowed within the steel target/stalking area**
4. **Steel targets are authorized on left side of range only.**
 - a. **OIC and RSO will ensure the RLL and steel targets are not in line with the Left end of the KD butts area.**
 - b. **Steel shall not be placed any closer than 100 meters down range from the unknown distance firing line.**
5. **OIC & RSO will verify mask and clearance for all FPs within the SRS buildings to ensure no impacts occur at FPs.**

RANGE AND TRAINING REGULATIONS

Medevac Planning Information								
Name	Address	Travel Time		Phone	Helipad		Burn/Trauma	
		Air	Grd		Yes	No	Yes	No
US Navy Hospital–NHCP	Bldg H-100 CPend	3	10	760-725-1611	X			X
Tri City Medical Center	4002 Vista Way, OSide	8	20	760-940-3507	X			X
Mission Viejo Medical Cntr	27700 Medical Center Rd.	10	30	949-364-1181	X		X	
Scripps, La Jolla	9888 Genesee Avenue	10	40	858-626-6151	X		X	
Palomar Medical Center	555 E. Valley Parkway, Esc.	10	40	760-739-3301	X		X	
UCSD Medical Center	200 W. Arbor Drive, SD	20	60	619-543-2154	X		X	

Special Instructions Continued on Next page

FLAG and GATE

Tower

Tower FP
64956 89543
LLL 179° mag - RLL 190° mag

1400 yard line
64925 89524 to 64886 89541
LLL 178° mag - RLL 188° mag

**Steel Target Stalking SFL/
Steel Target Placement Area**
64968 89564 to 65079 89537
LLL 184° mag - RLL 190° mag
No targets will be engaged
closer than 100 meters

FLAG and GATE

1000yds

900yds

800yds

700yds

600yds

500yds

300yds

100yds

Butts

FLAG and GATE

R 117A

