

RANGE AND TRAINING REGULATIONS

A maximum of 5 POVs (Trucks) are authorized to park in parking lot area without a POV pass
Road & River Report or Weapon Dependent

Range: R-210C	Lateral Limits: See Special Instructions	Allowable Wpns: Rifles - 5.56mm and below (No Tracer) Subguns - .45 cal and below Pistols - .45 cal. and below Shotguns – (All) Claymore - SOI Demonstration Only	Assigned to: CG, MCB Date Revised: 08 May, 2015
Location: 54697 95418	Impact Area: Whiskey Impact Area		
Elevation: 340' AMSL	Troop Penetration: Not beyond BZO/CMP Area		
Type: CMP/EMP Range	Engagement Distance: Min - 3 meters Max - 100 meters	Range Facilities: Port-a-johns, Bleachers, Ammo tables	



Scheduling

1. SOI has primacy of use on the R210 series ranges. Unit must contact SOI S-3 at 725-7127 to coordinate use of range.
2. **Record of that coordination must be detailed in communication tab in RFMSS request.**
3. All scheduling requests for R210C shall be submitted via their battalion.
4. Units will utilize RFMSS to schedule range.

Scheduling/Use Conflicts	Conflict
I-IMP WHISKEY	LIVE FIRE @R-210C CLOSSES GRND ACCESS IMP WHISKEY
R-210W	USE OF R-210C CLOSSES LIVE FIRE @R-210W
R-LFAM 208C	LIVE FIRE @R-210C CLOSSES LFAM 208C
R-MFA 05	LIVE FIRE @R-210C CLOSSES MFA 05
R-MP 208C	LIVE FIRE @R-210C CLOSSES MP 208C
TA-CYN JARDINE	LIVE FIRE @R-210C CLOSSES CYN JARDINE

Special Instructions Continued on Next page

RANGE AND TRAINING REGULATIONS

OIC/RSO Requirements

1. **A safety Brief shall be conducted prior to each live fire event to all participants.**
2. **All personnel shall wear required PPE during all training events.**
3. **OIC & RSO Requirements**
 - a. **Claymore**
 - i. **OIC Requirement - GySgt or Above**
 - ii. **RSO Requirement - SSgt or Above**
 - b. **Small Arms**
 - i. **OIC Requirement - SSgt or Above**
 - ii. **RSO Requirement - Sgt or Above**
 - c. **No Munitions**
 - i. **OIC Requirement - None**
 - ii. **RSO Requirement - Cpl or Above**
 - iii. **LASER (If Used) LRSO Requirement - Sgt or Above**

5.56 & Below EMP/CMP

1. **For all EMP/CMP Training:**
 - a. **Steel targets cannot be used on this range.**
 - b. **Use of R210C conflicts with personnel down-range on R210G. The RSO must physically check the entrance gate to R210G to ensure it is locked.**
 - c. **Rifles shall only shoot steel from the 100 meter firing line.**
 - d. **NO CROSS FIRING IS ALLOWED.**
 - e. **For multiple target engagements, RSO shall verify by compass from firing points to targets that all trajectories remain within the designated LLL/RLL of range.**
 - f. All EMP/CMP Targets shall be made of softwood uprights with cardboard backing.
 - g. Sandbags shall be used on any metal bases. Bases shall be made of soft metal.
 - h. Pallets and engineer stakes can be used.
 - i. Engineer stakes must be placed on the outside edges of the pallets.
 - j. No engagement on pallets closer than 7 yards.
2. **When conducting BZO:**
 - a. Pallets and engineer stakes can be used.
 - b. Engineer stakes must be placed on the outside edges of the pallets.
3. **Firing Data:**

Start Firing Line
54711 95446 to 54800 95404

Cease Firing Line:
54758 95535 to 54842 95494

LLL: 002⁰ mag

RLL: 018⁰ mag

Claymore

1. The RSO shall make a Face to Face with 210D RSO to insure all personnel remain on the range and not pass the Range Guards.
2. Unit shall construct a wall utilizing sandbags 2' high x 4' wide along the firing line to protect them from the claymore.
 - a. The RSO shall verify to the OIC:
 - i. That the claymore is placed at the firing point. (Only one (1) claymore at a time).
 - ii. That only the OIC and the firing team are at the FP and behind the sandbag wall prior to firing the claymore.
 - iii. That all personnel are in the bleachers before the claymore is detonated.
3. Range guards shall not hold Traffic for no longer than 10 minutes while in a hot status.

RG# 1 – 54542 95489
RG# 2 – 54986 95401
RG# 3 – 55207 95356
RG# 4 – 55346 95387
4. **Firing Data:**

Firing Point:
54907 95503

PDF- 009⁰ mag

Special Instructions Continued on Next page



Cease Firing Line

Claymore Firing Point

EMP/CMP/BZO Box

Whiskey


Start Firing Line

Parking Area

R210C

55

R210C Claymore



Whiskey

Claymore Firing Point

Range Guards #1

Parking Area

Range Guards #2

Range Guards #3

Range Guards #4

455^{000m}. E