

RANGE AND TRAINING REGULATIONS

There is conflict with Whiskey CAS

Range: R-214	Lateral Limits: Left -5642 9397 at 332° mag Right -5664 9401 at 332° mag	Min/max Engagement Distance: Min 3 yards (weapon dependent) Max 500 meters	Range Facilities: Range building; public address system; 3 - 50, 100, 200, 300, and 500-Yard lines; 72 firing points, bleachers, POV parking; porta-johns; NO running water; two additional firing lines for sniper specific training.
Location: 5653 9398	Boundaries: Grids N/A		
Type: Rifle Range (Known Distance)	Impact Area: Whiskey		
Troop Penetration Line: Prohibited beyond BZO targets	Range Phone Number(s): (760) 725-7331 (760) 763-3769	Allowable Wpns: Rifles, 7.62mm and below	Assigned to: CO, MCB Date Revised: 16 June, 2008

GENERAL INSTRUCTIONS

1. A safety Brief will be conducted prior to each live fire event to all participants.
2. All personnel shall wear required PPE during all training events.
3. OIC & RSO Requirements -
 - a. Live Fire
 - i. OIC Requirement - SSgt or Above
 - ii. RSO Requirement - Sgt or Above
 - b. Blanks
 - i. OIC Requirement - SSgt or Above
 - ii. RSO Requirement - Sgt or Above
 - c. No Munitions
 - i. OIC Requirement - None
 - ii. RSO Requirement - Sgt or Above
 - iii. LASER (If Used) LSSO Requirement - Sgt or Above
4. IOT occupy this range unit must have the following personnel/equipment:
 - a. RSO
 - b. Corpsman & Safety Vehicle
 - c. Positive Communication with LONGRIFLE
 - d. An ORM reviewed and signed by the Command, RSO and OIC.
5. IOT go into a hot status on range unit must have the following personnel/equipment:
 - a. OIC
 - b. RSO
 - c. LSSO - If using Laser
 - d. Corpsman & Safety Vehicle
 - e. Positive Communication with LONGRIFLE
6. POVs are authorized to park in parking lot area without a POV pass.
7. The RSO & OIC will personally observe each event.
8. A non-participating Corpsman will be stationed with safety vehicle.
9. Ammunition will only be issued per event and accounted for on NAVMC 11381.
10. After each event, unit leaders will conduct a line out.
11. Each RSO/PSO will certify to the OIC that all weapons are in Condition 4 prior to exiting the range/facility and all ammunition is accounted for.
12. All weapon malfunctions shall be corrected per the appropriate TM/FM, and unit SOP.

Scheduling

1. All scheduling requests for R-214 shall be submitted via MTB. MTB will utilize RFMSS to schedule range.		
2. POC is the SNCOIC at (760) 725-3436 / 4035		
Scheduling Conflicts	Notes	Conflict Notes
Whiskey Impact	1	Note (1) - None.
R215	2	Note (2) - Only targets on the right side of the center range road on R215 will be used when R214 is in a Hot Status.

RANGE AND TRAINING REGULATIONS

There is conflict with Whiskey CAS

SPECIAL INSTRUCTIONS

1. Ensure all weapons are cleared and inspected prior to departing the firing line.
2. All weapon malfunctions shall be corrected per the appropriate TM/FM, and unit SOP.
3. 50 yards and in –
 - a. All firing at and forward of the 50 yard line will be limited to either side of the range (Targets 1 – 35 or 37 – 73) until a permanent communication system is procured and installed.
 - b. All targets shall be placed at the base of the forward berm
4. **When Snipers conducting KD fire from fixed yard lines (100, 200, 300, 500, 706, 852) or MTU is conducting KD fire from fixed yard lines (100, 200, 300, 500) there is no conflict with Whiskey CAS.**

Additional Allowed yard Lines for 7.62 Sniper Training

706 yards

56594 93798 to 56592 to 93802

LLL 321 deg mag

RLL 330 deg mag

852 yards

56525 93622 to 56564 93631

LLL 332 deg mag

RLL 337deg mag

Only the targets to be engaged from 706 & 852-yard lines will be the "Little End" (Targets 1-35).

Range Guards shall be posted in pairs with positive communication with RSO at:

#1 56417 93868


#2 56701 93910 - **Not Required if R215A is not occupied.**

R213 may be occupied and in a hot status if RSO from R213 & RSO from R214 have coordinated.



June 2008

RANGE 214




Scale: 1:3,000

706 Yard Line

RG #2
56701 93910

706 Yard Line
56587 93801
to
56595 93801
LLL 321 deg mag
RLL 330 deg mag

RG #1
56302 93459



852 Yard Line

RG #2
56701 93910

852 Yard Line
56509 93619
to
56537 93619
LLL 332 deg mag
RLL 337deg mag

RG #1
56302 93459

