

RANGE AND TRAINING REGULATIONS

EOTG is Authorized to utilize (1) OIC with separate RSO's for R110A/B/C
 Maximum of 5 POVs are authorized to park in parking lot area with or without a POV pass
 Road & River Report Dependant

Range: R-110C	Lateral Limits: See Special Instructions	Allowable Weapons: Rifles - 5.56mm and below Pistols - .45 cal. and below Service Shotguns – All	Assigned to: CG, MCB Date Revised: 25 March, 2015
Location: 62044 89130	Impact Area: X-Ray Impact Area	Range Facilities: Ammo Tables	
Elevation: 239' AMSL	Troop Penetration Line: Not beyond Target Line		
Type: 50 Meter Field Firing Range	Engagement Distance: Min 3 meters (weapon dependent) Max 50 meters		



Scheduling

1. EOTG Sponsored units must submit requests through EOTG.
2. Final scheduling of this facility must be approved by MCB Camp Pendleton Range Scheduling.

Scheduling Conflicts	Conflict Notes
OVER FLIGHT OF RANGE	NO OVER FLIGHT IS ALLOWED FOR THIS RANGE.
A-IMP X-RAY	USE OF R-110C CLOSSES GROUND ACCESS TO A-IMP X-RAY.
R-110A	R110A SNIPER ENGAGEMENT CLOSSES ANY USE OF R110C
R-110A	R110A RSO FACE TO FACE W/R110C RSO REQUIRED PRIOR TO BREACHING
TA-ALISO CANYON	USE OF R-110C CLOSSES GROUND ACCESS TO TA-ALISO CANYON

Special Instructions Continued on Next page

RANGE AND TRAINING REGULATIONS

OIC/RSO Requirements

1. **A safety Brief shall be conducted prior to each live fire event to all participants.**
2. **All personnel shall wear required PPE during all training events.**
3. **OIC & RSO Requirements –**
 - a. **Steel Reactive Targets - 5.56 Caliber & below**
 - i. **OIC Requirement – GySgt or Above**
 - ii. **RSO Requirement - SSgt or Above**
 - b. **Small Arms - 5.56 Caliber & below**
 - i. **OIC Requirement – SSgt or Above**
 - ii. **RSO Requirement - Sgt or Above**
 - c. **No Munitions**
 - i. **OIC Requirement – None**
 - ii. **RSO Requirement - Cpl or Above**
 - iii. **LASER (If Used) LRSO Requirement - Sgt or Above**

Special Instructions

FULL AUTO FIRE ALLOWED 25 YARDS TO 3 YARDS

Rifles, Pistols, & Shotguns: 5.56 caliber weapons and below

LLL: 62044 89130 at 133° mag

RLL: 61990 89101 at 143° mag

CFL: 62066 89088 to 62012 89059

1. **R110A RSO shall conduct a face to face with the R110C RSO prior to R110A Breaching Operations to ensure all personnel are aware of and stay out of the R110A Breaching SDZ depicted in the R110 Complex Range Regs Map.**
2. **EOTG on R110B and R110C may utilize (1) OIC and (2) separate RSO's. R110A requires separate OIC and RSO.**
3. **No Cross firing at any time on R110C. RSO shall confirm by compass that all weapon trajectories on targets remain in the LLL/RLL of the range. RSO shall confirm that any kneeling and prone shots stay below the impact berm.**
4. **Steel Reactive Targets (SRT) is authorized for Pistols and Shotguns. RSO shall reference SOUM 2-02 prior to conducting any live fire on SRT's.**
5. **Rifles may conduct live fire on Steel Reactive Targets (SRT) at a minimum engagement distance of 25 meters with Frangible Ammunition only. RSO shall verify all ammunition prior to conducting any live fire on SRT's.**
6. **No vehicles on range floor, all authorized vehicles shall park in the designated parking area.**
7. **R110A Shoot House, R110B, and R110C can be in a "Live Fire" Status at the same time. Except R110A Sniper Engagement closes any use of R110C.**
8. **For all EMP/CMP Training:**
 - a. All EMP/CMP targets must be of softwood uprights, cardboard backing paper or cardboard targets.
 - b. Any metal bases used must be soft metal, and covered by sandbags.
 - c. No cross firing.

Special Instructions Continued on Next page

62

109

R110A



OSCAR TWO



Breaching SDZ

Start Firing Line

R110 Complex

R110B

Start Firing Line

R110G

Cease Firing Line

110c

Cease Firing Line

110B

62°00'00" E

