

RANGE AND TRAINING REGULATIONS

**Maximum of 5 POVs are authorized to park in parking lot area with or without a POV pass
Road & River Report Dependant**

Range: R-111	Lateral Limits: As Depicted Below	Allowable Wpns: Rifles - 7.62mm & below Pistols - .45 cal. & below Sub-gun - .45 cal. & below Service Shotguns – All	Assigned to: CG, MCB Date Revised: 25 February, 2015
Location: 49594 96677	Engagement Distance: Min 3 meters Max 150 meters		
Elev: 215' AMSL			
Type: Transition Rifle/BZO EMP/CMP	Boundaries: As Depicted	Troop Penetration: 175 Meters	
Range Facilities: Bleachers; Blackwater Targets; Ammo Table; Port-A-Johns			



Scheduling

1. Scheduling of this range accomplished through MCB Camp Pendleton Range Scheduling.
2. **Use of automated targets requires contractor. Contact TSD at 725-4444 to coordinate.**
3. **Unit will utilize RFMSS to schedule range.**

Scheduling Conflicts	Conflict Notes
A-IMP X RAY	LIVE FIRE @ R-111 CLOSSES A-IMP X RAY
TA-Aliso Canyon	USE OF R-111 CLOSSES TA-ALISO CANYON
Over flight of Range	NO OVER FLIGHT IS ALLOWED FOR THIS RANGE.

OIC/RSO Requirements

1. **A safety Brief will be conducted prior to each live fire event to all participants.**
2. **OIC & RSO Requirements -**
 - a. **SRT Steel Targets & Less Than Lethal**
 - i. **OIC Requirement – GySgt or Above**
 - ii. **RSO Requirement – SSgt or Above**
 - b. **7.62mm & Steel Targets no less than 100m**
 - i. **OIC Requirement – SSgt or Above**
 - ii. **RSO Requirement – Sgt or Above**
 - c. **No Munitions**
 - i. **OIC Requirement – None**
 - ii. **RSO Requirement – Cpl or Above**
 - iii. **LASER (If Used) LSSO Requirement – Sgt or Above**

RANGE AND TRAINING REGULATIONS

Maximum of 5 POVs are authorized to park in parking lot area with or without a POV pass
Road & River Report Dependant

Bay 1 (Left Side Only) BAYS CAN NOT BE USED CONCURRENTLY Targets SHALL Only be placed at Depicted Target Line	
Rifles 7.62 Only Left: 61697 88727at 115° mag Right: 61679 88705 at 118° mag CFL: 61786 88659 to 61764 88632 Rifles and pistols 5.56 And below Left: 61697 88727at 110° mag Right: 61679 88705 at 119° mag CFL: 61786 88659 to 61764 88632	1. Turning Targets – a. RSO will ensure that the top of the head of all targets are no higher than 4 feet above the mounting brackets. b. All targets must be of softwood uprights, cardboard backing paper or cardboard targets. c. No metal supports or targets (other than the Turning Target Range (Blackwater) are permitted on this range d. No kneeling or prone 15 yard/meters to 3 yard/meters from target line.
1. Metal Poppers – a. Targets will be engaged by pistol only . b. Targets will only be engaged from 50 to 7 yards/meters. c. One shooter per 6 targets is allowed. (Max 8 shooters). d. Shooters must be centered on their targets.	1. Moving target – a. Only one Shooter on the firing line. b. Moving Target will only be engaged from the 100 to the 25 meter firing lines. c. Shooter will only engage moving target from center of the bay.
1. Multiple Target Engagements – a. One shooter per two targets, max 12 shooters on the firing line b. One shooter per three targets, max 8 shooters on the firing line. c. Shooter must be centered on their targets.	

Bay 2 (Right side only) BAYS CAN NOT BE USED CONCURRENTLY Targets SHALL Only be placed at Depicted Target Line	
Rifles and Pistols 5.56mm And below Left: 61671 88695 at 117° mag Right: 61655 88678 at 124° mag CFL: 61704 88667 to 61685 88645	
1. Steel Targets a. OIC and RSO will ensure that steel targets are laid in with a compass. b. Will not be engaged any closer than 100 meters. c. Are placed at 20 degree cant an in well cleared out area around the target. d. Gimmick targets are not authorized because of the inability to control angle of the target, and the angel of the splatter. e. Rotating Christmas trees and Targets that flip back and forth. 2. BZO a. Will be conducted on Bay 2 firing line only. b. Any engineer stakes used on pallets must be placed on the outside edges of the pallets. c. No rifle targets shall be placed above the base of the hill. d. Cross-lane firing is prohibited. e. No kneeling or prone 15 yard/meters to 3 yard/meters from target line.	

Steel/PITS Target Area
1. Target Area a. All targets will stay within the depicted target area. b. All targets will be laid in with the existing lateral limits. c. R112A must be in a cold status when targets are placed past 175 meters. d. Any movement down range to place targets Longrifle will be notified.

Range 111



Bay 1

Bay 2

Designated Target Line

Designated Target Line

Steel/Pits
Target Area