

RANGE AND TRAINING REGULATIONS

**Maximum of 5 POVs (Trucks) are authorized to park in parking lot area with or without a POV pass
Road & River Report Dependiant
No Off Road Vehicle Travel**

Range: R-117A Location: 6491 8953 Elevation 445' AMSL Type: KD Sniper Range	Lateral Limits: Known Distance Range 1400 yard line 64926 89534 to 64884 89540 LLL 194° mag RLL 194° mag 1000 –yrd line SFL 64748 89098 to 64695 89126 CFL 64393 88458 to 64340 88486 LLL 196° mag RLL 196° mag 100 thru 900-yrd line SFL 64748 89098 to 64695 89126 CFL 64393 88458 to 64340 88486 LLL 196° mag RLL 196° mag Tower FP 64956 89543 LLL 179° mag RLL 190° mag Unknown Distance Range 65079 89537 to 64968 89564 LLL 184° mag RLL 190° mag	Allowable Wpns: Rifles, - 7.62 and below(No Tracers) Rifles – 300 WinMag Pistol - 45 Caliber & Below Service Shotgun - All	Assigned to: CG, MCB Date Revised: 07 April, 2015
Troop Penetration: Not beyond pit area Impact Areas: X-Ray Impact Area	Range Facilities: Admin office; 3 control gates; 12 firing points at the 100, 300, 500, 600, 700, 800, 900,1000 fire lines; Observation tower, Stalking movement area for steel targets		
Engagement Distance: Min 3 yards Max 1400 yards			



Special Instructions Continued on Next page

RANGE AND TRAINING REGULATIONS

Scheduling

1. All scheduling requests for R-117A shall be submitted via their battalion. Units will utilize RFMSS to schedule range.

Scheduling Conflicts

Conflict

A-IMP X RAY

LIVE FIRE@R-117A CLOSSES A-IMP X-RAY

OIC/RSO Requirements

1. A safety brief to all participants shall be conducted by the RSO prior to each event.

2. All personnel shall wear required PPE during all training events.

3. OIC & RSO Requirements –

a. Small arms

i. OIC Requirement – SSgt & Above

ii. RSO Requirement – Sgt or Above

b. No Munitions

i. OIC Requirement – None

ii. RSO Requirement – Cpl or Above

iii. LASER (If Used) LSSO Requirement-Sgt or Above

Additional Safety Instructions

1. All personnel will stay on the catwalk when in a hot status.

2. Steel Targets

a. Rifle Engagements

i. Steel targets are authorized only on the Unknown Distance (left side of range).

ii. OIC and RSO will ensure the RLL and steel targets are not in line with the Left end of the KD Butts area.

iii. Will not be engaged any closer than 100 meters

iv. Target placed in cleared out area

v. Gimmick targets are not authorized because of the inability to control angle of the target, and the angle of the splatter.

1. Rotating Christmas trees

2. Targets that flip back and forth

b. Pistol & Shotguns –

i. Steel Reactive Targets Will be used IAW (SOU) 2-02

3. Moving targets

a. Infantry Moving targets can be engaged from the unknown distance range. No other FFP are authorized.

b. Moving targets will only be engaged Right to Left.

c. IOT request use of controller for targets, unit must submit contractor hours In RFMSS.

4. Pistol & Shotguns –

a. Are only allowed within the Unknown Distance (left side of range).

b. Targets

i. Will be of soft wood uprights and paper targets.

ii. Stands will be of soft metal and sandbagged.

5. Shoot through houses

a. Targets can be placed inside of house's

b. **NO STEEL TARGETS INSIDE OF HOUSE'S**

6. Units shall utilize radios to support communication requirements between firing line and butts.

7. Firing Lines will only be accessed from the ends of the firing berms.

a. All personal shall stay off all berms.

8. Personnel and Military Vehicles

a. Personnel shall proceed either on foot or by military vehicle to firing positions, targets, and range butts area. Utilizing access roads only.

b. Civilian vehicles **shall NOT be used** for this purpose

c. **No vehicles on top of firing berms.**

d. Only the Safety vehicle and ammo/equipment vehicle shall be allowed to remain down range behind the firing lines, all other military vehicles must be moved back to the parking lot.

e. Parking lot is behind the tower all vehicles must stay on the gravel road.

9. The RSO shall ensure Gates and Range Flags to-

a. The tower, old access gate, and 116A BUTTS range flags are posted.

b. All 3 access gates to R-117A are closed and locked when this range is in a hot status.

10. Helicopters may over fly the area at 1,000' AGL and above.

a. When firing an air sentry shall be designated to observe for aircraft entering into the range surface danger zone.

b. In the event an aircraft enters the range surface danger zone, an immediate cease-fire shall be conducted and LONGRIFLE notified.

c. **Returning to a hot status shall only be cleared by LONGRIFLE.**

Special Instructions Continued on Next page


R117A

64

65

Twr 1400
117A Unknown

KILO ONE



19

1000

900

800

700

600

500

300

100

117A

Mvr1

Mvr2

Ostrich

116A

116B

116D

36 89 000m N

89

464 000m E

65

