

## RANGE AND TRAINING REGULATIONS

**Maximum of 5 POVs are authorized to park in parking lot area with or without a POV pass  
Road & River Report Dependant**

<b>Range:</b> R-111	<b>Lateral Limits:</b>	<b>Allowable Wpns:</b> Rifles - 7.62mm & below Pistols - .45 cal. & below Sub-gun - .45 cal. & below Service Shotguns – All	<b>Assigned to:</b> CO, MCB
<b>Location:</b> 49594 96677	<b>Field Firing Range:</b> <b>Left:</b> 61697 88727 at 115° mag <b>Right:</b> 61679 88659 at 118° mag	<b>Min/max Engagement Distance:</b> <b>Min</b> 3 meters (weapon dependent) <b>Max</b> 150 meters	<b>Date Revised:</b> 13 Feb, 2012
<b>Elev:</b> 215' MSL	<b>Turning Target Range:</b> <b>Left:</b> 61671 88695 at 117° mag <b>Right:</b> 61655 88678 at 124° mag		
<b>Type:</b> Transition Rifle/BZO EMP/CMP			
<b>Boundaries:</b> As Depicted			
<b>Troop Penetration:</b> 175 Meters	<b>Range Facilities:</b> Bleachers; Blackwater Targets; Ammo Table; Port-A-Johns		



### Scheduling

1. Scheduling of this range accomplished through MCB Camp Pendleton Range Scheduling.
2. **Unit will utilize RFMSS to schedule range.**

#### Scheduling Conflicts

#### Conflict Notes

**Aviation**

**1**

Note (1) – No over flight is allowed of this range.

## RANGE AND TRAINING REGULATIONS

Maximum of 5 POVs are authorized to park in parking lot area with or without a POV pass  
Road & River Report Dependant

### GENERAL INSTRUCTIONS

1. A safety Brief will be conducted prior to each live fire event to all participants.
2. OIC & RSO Requirements -
  - a. SRT Steel Targets & Less Than Lethal
    - i. OIC Requirement – GySgt or Above
    - ii. RSO Requirement – SSgt or Above
  - b. 7.62mm & Steel Targets no less than 100m
    - i. OIC Requirement – SSgt or Above
    - ii. RSO Requirement – Sgt or Above
  - c. No Munitions
    - i. OIC Requirement – None
    - ii. RSO Requirement – Cpl or Above
    - iii. LASER (If Used) LSSO Requirement – Sgt or Above
3. IOT occupy this range unit must have the following personnel/equipment:
  - a. RSO(s)
  - b. Combat Live Safer & Safety Vehicle
  - c. Positive Communication with LONGRIFLE
  - d. An ORM reviewed and signed by the Command, RSO and OIC.
4. IOT go into a hot status on range unit must have the following personnel/equipment:
  - a. OIC
  - b. RSO(s)
  - c. LSSO – If using Laser
  - d. Corpsman & Safety Vehicle
  - e. Positive Communication with LONGRIFLE
5. RSO will verify the left and right lateral limits utilizing a compass and map.
  - a. Overall range lateral limits will be identified.
  - b. Each firing position lateral limits will be identified.
6. The RSO & OIC will personally observe each live fire event.
7. A signed ORM must be on hand IOT conduct training.
8. Minimum engagement distances for Steel targets with rifles are:
  - a. 100 meters – 5.56mm and above
9. At any time Range guards are required, they will be posted in pairs with positive communication with the RSO.
10. Ammunition will only be issued per event and accounted for on NAVMC 11381.
11. After each event, unit leaders will conduct a line out.
12. Each RSO will certify to the OIC that all weapons are in Condition 4 prior to exiting the range and all ammunition is accounted for.
13. Ensure all weapons are cleared and inspected prior to departing the firing line.
14. All weapon malfunctions shall be corrected per the appropriate TM/FM, and unit SOP.

### 100 Yard CMP/EMP/Field Firing Range

1. All EMP Training will be conducted within the depicted firing box.
2. For all EMP training
  - a. All EMP targets must be of softwood uprights, cardboard backing paper or cardboard targets.
3. Any metal bases used must be soft metal. All Un-Known Distance and BZO and will be conducted using pallet from the field firing line.
  - a. No rifle targets shall be placed above the base of the hill.
  - b. Any engineer stakes used for pallets must be placed on the outside edges of the pallets.

## RANGE AND TRAINING REGULATIONS

**Maximum of 5 POVs are authorized to park in parking lot area with or without a POV pass  
Road & River Report Dependant**

### Turning Target Range (Blackwater) Targets


1. Units shall provide and use only standard-issue targets on wood supports.
2. No metal supports or targets (other than the Turning Target Range (Blackwater)) are permitted on this range.
3. Cross-lane firing is prohibited

<b>1. General –</b> <ol style="list-style-type: none"> <li>a. Rifles 5.56mm &amp; below</li> <li>b. Pistols .45 caliber &amp; below</li> <li>c. Sub-Guns .45 caliber &amp; below</li> <li>d. No kneeling past the 15 yard line</li> </ol>	<b>2. Turning Targets –</b> <ol style="list-style-type: none"> <li>a. RSO will ensure that the top of the head of all targets are no higher than 4 feet above the mounting brackets.</li> <li>b. All targets must be of softwood uprights, cardboard backing paper or cardboard targets.</li> </ol>
<b>3. Metal Poppers –</b> <ol style="list-style-type: none"> <li>a. Targets will be engaged by pistol &amp; shotgun only.</li> <li>b. Targets will only be engaged from 50 to 7 yards.</li> <li>c. One shooter per bank of 6 targets is allowed.</li> <li>d. Shooter must be centered on their target bank.</li> </ol>	<b>4. Moving target –</b> <ol style="list-style-type: none"> <li>a. Target will only be engaged from moving target firing points –</li> <li>b. FP # 1 – 61688 88664</li> <li>c. FP #2 – 61681 88654</li> <li>d. Shooters will only engage target in accordance with depicted firing parameters.</li> </ol>
<b>5. Multiple Target Engagements –</b> <ol style="list-style-type: none"> <li>a. One shooter per three target bank</li> <li>b. Shooter must be centered on their target bank</li> </ol>	

### Medevac Planning Information

Name	Address	Travel Time		Phone	Helipad		Burn/Trauma	
		Air	Grd		Yes	No	Yes	No
<b>US Navy Hospital–NHCP</b>	<b>Bldg H-100 CPend</b>	<b>3</b>	<b>10</b>	<b>760-725-1611</b>	<b>X</b>			<b>X</b>
<b>Tri City Medical Center</b>	<b>4002 Vista Way, OSide</b>	<b>8</b>	<b>20</b>	<b>760-940-3507</b>	<b>X</b>			<b>X</b>
<b>Mission Viejo Medical Cntr</b>	<b>27700 Medical Center Rd.</b>	<b>10</b>	<b>30</b>	<b>949-364-1181</b>	<b>X</b>		<b>X</b>	
<b>Scripps, La Jolla</b>	<b>9888 Genesee Avenue</b>	<b>10</b>	<b>40</b>	<b>858-626-6151</b>	<b>X</b>		<b>X</b>	
<b>Palomar Medical Center</b>	<b>555 E. Valley Parkway, Esc.</b>	<b>10</b>	<b>40</b>	<b>760-739-3301</b>	<b>X</b>		<b>X</b>	
<b>UCSD Medical Center</b>	<b>200 W. Arbor Drive, SD</b>	<b>20</b>	<b>60</b>	<b>619-543-2154</b>	<b>X</b>		<b>X</b>	

# Range 111



100 Yard Range

Turning Target Range