

## RANGE AND TRAINING REGULATIONS

A maximum of 5 POVs (Trucks) are authorized to park in parking lot area without a POV pass  
Road & River Report or Weapon Dependent

<b>Range:</b> R-201	<b>Lateral Limits:</b> <b>See Special Instructions</b>	<b>Allowable Wpns:</b> Machine guns/Rifles: 7.62mm and below <b>(AA11 LR is not authorized)</b> Pistols: .45 Cal. and below Service Shotgun: (All) Infantry Rockets: <b>(Carl Gustaf Not Authorized)</b> 40mm Shoulder Fired Weapons <b>(No MK-19's)</b>	<b>Assigned to:</b> CG, MCB <b>Date Revised:</b> 11 May, 2015
<b>Location:</b> 51610 97650	<b>Impact Area:</b> Quebec, Yankee		
<b>Elevation:</b> 555'AMSL	<b>Troop Penetration:</b> Prohibited		
<b>Type:</b> Field Firing Range	<b>Engagement Distance:</b> <b>Min - 3 Meters</b> <b>(Weapon Dependent)</b> <b>Max – 350 Meters</b>	<b>Range Facilities:</b> Bleachers, Port-a-johns, Ammo tables, Ammo shelter	



### Scheduling

- All scheduling requests for R-201 shall be submitted via their battalion. Unit will utilize RFMSS to schedule range.

Scheduling/Use Conflicts	Conflict
A-IMP QUEBEC	LIVE FIRE @R-201 CLOSSES GROUND ACCESS IMP QUEBEC
A-IMP YANKEE	7.62MM L/F @R-201 CLOSSES GROUND ACCESS IMP YANKEE
R-LFAM 706	ANY LIVE FIRE @R-201 CLOSSES TGT INSERT BEYOND LOA @LFAM 706 *AND* SMAW L/F @R-201 CLOSSES ANY USE OF LFAM 706
TA-CYN JARDINE	7.62 & 5.56MM L/F @R-201 CLOSSES ANY USE OF CYN JARDINE (ALL OTHER AMMO OK)

**Special Instructions Continued on Next page**

## RANGE AND TRAINING REGULATIONS

### OIC/RSO Requirements

1. **A safety Brief shall be conducted prior to each live fire event to all participants.**
2. **All personnel shall wear required PPE during all training events.**
3. **OIC & RSO Requirements –**
  - a. **Rockets/HEDP**
    - i. **OIC Requirement – GySgt or Above**
    - ii. **RSO Requirement –SSgt or Above**
  - b. **Small Arms-.50 Caliber & below/40mm TP**
    - i. **OIC Requirement – SSgt or Above**
    - ii. **RSO Requirement – Sgt or Above**
  - c. **No Munitions**
    - i. **OIC Requirement – None**
    - ii. **RSO Requirement – Cpl or Above**

### Special Instructions

#### 7.62mm & Below

1. **AA11 Long Range is not authorized**
2. Cross firing is prohibited.
3. RSO shall supervise setting of all T&E's and Tripods and report to the OIC.
4. Guns shall be laid in with a compass verified by the RSO.
5. Positive stops shall be used to prevent firing out of the approved SDZ.
6. The operating group shall be removed from each gun and verified clear by the RSO.
7. All tripods shall be sandbagged.
8. All M249/M240G BZO and 10 meter qualification can use pallets set on the firing line.
9. Any engineer stakes used for pallets shall be placed on the outside edges of the pallets.
10. Firing line will be backed off the target line IAW TM's for BZO and 7.62mm qualifications.
11. **The use of Tracers shall be FDR Dependent.**
12. **Firing Data:**
  - Firing Line**  
51604 97671 to 51629 97635
  - Lateral Limits**  
**LLL: 034° mag**  
**RLL: 052° mag**

#### 75 Meter Box 5.56mm & Below

1. **For all EMP/CMP Training:**
  - a. **No Steel Targets inside EMP/CMP Box.**
  - b. All EMP/CMP Training shall be conducted within the depicted firing box.
  - c. All EMP/CMP Targets shall be made of softwood uprights with cardboard backing.
  - d. Sandbags shall be used on any metal bases. Bases shall be made of soft metal.
  - e. Pallets and engineer stakes can be used.
  - f. Engineer stakes must be placed on the outside edges of the pallets.
  - g. No engagement on pallets closer than 7 yards.
2. **When conducting BZO:**
  - a. Pallets and engineer stakes can be used.
  - b. Engineer stakes must be placed on the outside edges of the pallets.
3. **Firing Data:**
  - Start Firing Line**  
51558 97609 to 51568 97593
  - Cease Firing Line:**  
51619 97647 to 51629 97631
  - Lateral Limits**  
**LLL: 034° mag**  
**RLL: 052° mag**

Special Instructions Continued on Next page

## RANGE AND TRAINING REGULATIONS

### 25 Meter Box 5.56mm & Below

1. **For all EMP/CMP Training:**
  - a. **No Steel Targets inside EMP/CMP Box.**
  - b. All EMP/CMP Training shall be conducted within the depicted firing box.
  - c. All EMP/CMP Targets shall be made of softwood uprights with cardboard backing.
  - d. Sandbags shall be used on any metal bases. Bases shall be made of soft metal.
  - e. Pallets and engineer stakes can be used.
  - f. Engineer stakes must be placed on the outside edges of the pallets.
  - g. No engagement on pallets closer than 7 yards.
2. **When conducting BZO:**
  - a. Pallets and engineer stakes can be used.
  - b. Engineer stakes must be placed on the outside edges of the pallets.
3. **Firing Data:**

**Start Firing Line**  
51583 97655 to 51607 97619

**Cease Firing Line**  
51602 97670 to 51629 97631

**Lateral Limits:**  
**LLL: 034° mag**  
**RLL: 052° mag**

### Shoulder Fired 40mm

1. **Firing Data:**

**Firing Line:**  
51604 97671 to 51629 97635

**Lateral Limits**  
**LLL: 034° mag**  
**RLL: 052° mag**

### Infantry Rockets

1. **Rockets**
  - a. **Shall only fire at the hard targets.**
  - b. Prior to firing any Rockets, RSO and OIC shall ensure that Back Blast Area is all clear.
  - c. No personnel shall be forward of the rocket Firing Position.
2. **Firing Limitations: (Carl Gustaf are Not Allowed)**
  - a. **SMAW HE-** During training with the SMAW, the gunner, assistant gunner or any instructors are authorized to fire/be exposed to only five rounds per day.
  - b. **HE AT-4** - Prone or foxhole firing of HE AT4 (M136) is not authorized. In training, an individual may fire one round from the sitting position or three rounds from the standing or kneeling positions in a 24-hour period.
  - c. **HE LAW** - Limit the number of daily firings by any individual (gunner or personnel within 20m) to four.
  - d. Any misfires, the unit shall attempt to replace safety devices and notify Longrifle for EOD support. **EOD shall determine if the rocket can be transported back to ASP.**
3. **Firing Data:**

**Firing Line**  
51604 97671 to 51629 97635

**Lateral Limits**  
**LLL: 034° mag**  
**RLL: 052° mag**

### Range Guards and Signs

1. **Range Guards :**

RG 51555 97567

  - a. **Range guards** are required on the road when firing **weapon systems with back blast.**
  - b. **Range Guards shall be posted in pairs of two with two-way radio communication with the RSO**
  - c. No traffic or personnel shall enter R201 without the OIC's or RSO's permission.

Special Instructions Continued on Next page



25 Meter EMP Box

Range 201

Firing Line

201

Rocket Firing Point

Parking Lot

75 Meter EMP Box

ALPHA ONE

Range Guards