

RANGE AND TRAINING REGULATIONS

A maximum of 5 POVs (Trucks) are authorized to park in parking lot area without a POV pass
Road & River Report or Weapon Dependent

Range: R-300	Lateral Limits: See Special Instructions	Allowable Wpns: Rifles - 7.62mm and below Machine Guns - 7.62mm and below Pistols - .45 Caliber & below Service Shotguns	Assigned to: CG, MCB Date Revised: 11 May, 2015
Location: 48685 97591	Impact Area: R300 Impact Area		
Elevation: 118' AMSL	Troop Penetration: Not beyond depicted area		
Type: BZO/EMP/CMP Range	Engagement Distance: Min - 3 meters Max - 25 meters	Range Facilities: Ammo tables; Port-a-johns; Bleachers	



Scheduling

1. All scheduling requests for R-300 shall be submitted via their battalion. Units will utilize RFMSS to schedule range.

Scheduling/Use Conflicts	Conflict
OVER FLIGHT OF RANGE	LIVE FIRE @R300 CLOSSES ANY AC OVER FLIGHT OF RANGE
A- LZ 62	LIVE FIRE @R300 CLOSSES LZ 62
FDR VERY HIGH	USE OF TRACERS IS NOT AUTHORIZED
FDR EXTREME	RANGE IS CLOSED
ROAD AND RIVER REPORT	RANGE MAY BE CLOSED IAW ROAD AND RIVER REPORT DURING WET CONDITIONS

Special Instructions Continued on Next page

RANGE AND TRAINING REGULATIONS

OIC/RSO Requirements

1. **A safety Brief shall be conducted prior to each live fire event to all participants.**
2. **All personnel shall wear required PPE during all training events.**
3. **OIC & RSO Requirements –**
 - a. **Small Arms- 7.62mm & below**
 - i. **OIC Requirement – SSgt or Above**
 - ii. **RSO Requirement - Sgt or Above**
 - b. **No Munitions**
 - i. **OIC Requirement – None**
 - ii. **RSO Requirement - Cpl or Above**
 - iii. **LASER (If Used) LRSO Requirement - Sgt or Above**

Special Instructions

1. All live fire training shall be conducted within the depicted area on the range regs map. Live fire training is not authorized beyond the 25 Meter Firing Line.
2. **Troop penetration beyond the Target Line to the Limit of Advance (Berm) is approved for cleanup only; personnel must remain in the depicted area. Digging in berm is not authorized.**
3. RSO shall verify LLL/RLL for all shooters. Do not depend on signs in the impact area.
4. Cross-lane firing is prohibited

5.56mm & Below EMP/CMP Box

1. **For all EMP/CMP Training:**
 - a. **Steel Targets are not authorized on range.**
 - b. **For multiple target engagements, RSO shall verify by compass from firing points to targets that all trajectories remain within the designated LLL/RLL of range.**
 - c. All EMP/CMP Training shall be conducted within the depicted firing box.
 - d. All EMP/CMP Targets shall be made of softwood uprights with cardboard backing.
 - e. Sandbags shall be used on any metal bases. Bases shall be made of soft metal.
 - f. Pallets and engineer stakes can be used.
 - g. Engineer stakes must be placed on the outside edges of the pallets.
 - h. No engagement on pallets closer than 7 yards.
2. **When conducting BZO:**
 - a. Pallets and engineer stakes can be used.
 - b. Engineer stakes must be placed on the outside edges of the pallets.
3. **Firing Data:**

25 Meter Firing Line:
48685 97591 to 48623 97535

3 Meter Firing Line/Cease Firing Line:
48701 97575 to 48637 97518

Target Line:
48702 97572 to 48640 97516

LLL: 123° mag

RLL: 129° mag

7.62mm & Below

1. **AA11 Long Range is not authorized**
2. RSO shall supervise setting of all T&E's and Tripods and report to the OIC.
3. Guns shall be laid in with a compass verified by the RSO.
4. All tripods shall be sandbagged.
5. All M249/M240G BZO and 10 meter qualification can use pallets set on the target line.
6. Any engineer stakes used for pallets shall be placed on the outside edges of the pallets.
7. Firing line shall be backed off the target line IAW TM's for BZO and 7.62mm qualifications.
8. **The use of Tracers shall be FDR Dependent.**
9. **Firing Data:**

25 Meter Firing Line:
48685 97591 to 48623 97535

Target Line:
48702 97572 to 48640 97516

LLL: 123° mag

RLL: 129° mag

Special Instructions Continued on Next page

RANGE 300



BRAVO THREE

25 Meter Firing Line

CMP/EMP Box

3 Meter Firing Line/Cease Firing Line

Target Line

Limit of Advance (Berm)

