

RANGE AND TRAINING REGULATIONS

POVs (Trucks) are authorized to park in parking lot area without a POV pass – Road & River Report Dependand

Range: R-130J	Lateral Limits: See Special Instructions	Allowable Weapons: Rifles, 7.62mm & Below (300 Win Mag & 338 LAPUA Included) Lasers – LRSB Approved Only	Assigned to: CG, MCB Date Revised: 01 April, 2015
Location: See Special Instructions	Impact Area: X-Ray Impact Area		
Elevation: 745' AMSL	Troop Penetration Line: For Target Placement Only		
Type: Sniper	Engagements Distance Min - 300 yards Max -750 yards	Range Facilities: 6 Wooden Firing Platforms,	



Sniper Position #1




Sniper Position #2



Sniper Position #3



Sniper Position #4



Sniper Position #5



Sniper Position #6

RANGE AND TRAINING REGULATIONS

POVs (Trucks) are authorized to park in parking lot area without a POV pass – Road & River Report Dependand

Scheduling

1. 1st MSOB Sponsored Units Must Submit Requests through 1st MSOB
2. EOTG Sponsored units must submit requests through EOTG.
3. Final scheduling of this facility must be approved by MCB Camp Pendleton Range Scheduling.

Scheduling Conflicts	Conflict
I-IMP XRAY	USE OF R-130J CLOSES GRND ACCESS IMP XRAY
R-130A	LIVE FIRE @R-130J CLOSES R-130A (REFER TO R-130J SPECIAL INSTRUCTIONS FOR SPECIFIC CONFLICTS)
R-130B	LIVE FIRE @R-130J CLOSES R-130B (REFER TO R-130J SPECIAL INSTRUCTIONS FOR SPECIFIC CONFLICTS)
R-130C	LIVE FIRE @R-130J CLOSES R-130C (REFER TO R-130J SPECIAL INSTRUCTIONS FOR SPECIFIC CONFLICTS)
R-130D	LIVE FIRE @R-130J CLOSES R-130D (REFER TO R-130J SPECIAL INSTRUCTIONS FOR SPECIFIC CONFLICTS)
R-130F	LIVE FIRE @R-130J CLOSES R-130F (REFER TO R-130J SPECIAL INSTRUCTIONS FOR SPECIFIC CONFLICTS)
R-130G	LIVE FIRE @R-130J CLOSES R-130G (REFER TO R-130J SPECIAL INSTRUCTIONS FOR SPECIFIC CONFLICTS)
R-130H	LIVE FIRE @R-130J CLOSES R-130H (REFER TO R-130J SPECIAL INSTRUCTIONS FOR SPECIFIC CONFLICTS)
R-130I	LIVE FIRE @R-130J CLOSES R-130I (REFER TO R-130J SPECIAL INSTRUCTIONS FOR SPECIFIC CONFLICTS)
R-130K	LIVE FIRE @R-130J CLOSES R-130K (REFER TO R-130J SPECIAL INSTRUCTIONS FOR SPECIFIC CONFLICTS)
R-130M	LIVE FIRE @R-130J CLOSES R-130M (REFER TO R-130J SPECIAL INSTRUCTIONS FOR SPECIFIC CONFLICTS)

OIC/RSO Requirements

1. **A safety Brief shall be conducted prior to each live fire event to all participants.**
2. **All personnel shall wear required PPE during all training events.**
3. **OIC & RSO Requirements –**
 - a. **Small Arms 7.62mm & Below**
 - i. **OIC Requirement – SSgt. or Above**
 - ii. **RSO Requirement – Sgt. or Above**
 - b. **No Munitions**
 - i. **OIC Requirement – None**
 - ii. **RSO Requirement – Sgt. or Above**
 - iii. **LASER (If Used) LSSO Requirement – Sgt. or Above**

Specific R130 Conflicts

R130J FFP #1	LIVE FIRE @ FFP # 1- CLOSES MOVEMENT/ OCCUPATION PAST R130C.
R130J FFP #2	LIVE FIRE @ FFP # 2- CLOSES MOVEMENT/ OCCUPATION PAST R130C AND FFP #1 MUST NOT BE OCCUPIED.
R130J FFP #3	LIVE FIRE @ FFP #3 - COMPLEX CANNOT BE OCCUPIED (FFP #4 & 5 OK).
R130J FFP #4	LIVE FIRE @ FFP # 4 - COMPLEX CANNOT BE OCCUPIED (FFP #3 & 5 OK).
R130J FFP #5	LIVE FIRE @ FFP # 5 - COMPLEX CANNOT BE OCCUPIED (FFP #3 & 4 OK).
R130J FFP #6	LIVE FIRE @ FFP # 6 – COMPLEX CANNOT BE OCCUPIED Sniper Hide will use 15-degree rule IOT occupy more than one FFP.

RANGE AND TRAINING REGULATIONS

POVs (Trucks) are authorized to park in parking lot area without a POV pass – Road & River Report Dependand

Special Instructions

1. **Range Manager and/or Range OICs shall ensure that all aspects of this instruction are adhered to.**
2. **Sniper Firing Positions –**
 - a. FFP #1 – 61558 85803 to 61561 85801
 - i. Rifles 7.62 Caliber & Below
 - ii. Elev. 600' AMSL
 - iii. LLL - 007° mag
 - iv. RLL - 061° mag
 - b. FFP #2 – 61540 85768 to 61542 85766
 - i. Rifles 7.62mm & Below
 - ii. Elev. 660' AMSL
 - iii. LLL - 007° mag
 - iv. RLL - 061° mag
 - c. FFP #3 – 61493 85681 to 61497 85675
 - i. Rifles 7.62mm & Below
 - ii. Elev. 730' AMSL
 - iii. LLL - 015° mag
 - iv. RLL - 074° mag
 - d. FFP #4 – 61520 85630 to 61522 85627
 - i. Rifles 7.62mm & Below
 - ii. Elev. 745' AMSL
 - iii. LLL - 011° mag
 - iv. RLL - 070° mag
 - e. FFP #5 – 61626 85544 to 61629 85541
 - i. Rifles 7.62mm & Below
 - ii. Elev. 570' AMSL
 - iii. LLL - 014° mag
 - iv. RLL - 051° mag
 - f. FFP #6 – 61465 85401 to 61467 85400
 - i. Rifles 7.62mm & Below
 - ii. Elev. 700' AMSL
 - iii. LLL - 022° mag
 - iv. RLL - 047° mag
3. **Condition 1 status on weapons is authorized at FFP's only.**
4. Personnel shall proceed either on foot or by military vehicle to firing positions or to place targets. Civilian vehicles **shall NOT be used** for this purpose.
5. **The RSO shall ensure the SDZ is clear, signs are posted and range safety flags are flown at hot FFPs.**
6. **Complex gate shall be locked when using FFPs #3 through #6.**
7. **Helicopters may over fly the area at 1,000' AGL and above. When firing 7.62mm an air sentry shall be designated to observe for aircraft entering into the range surface danger zone. In the event an aircraft enters the range surface danger zone, an immediate cease-fire shall be conducted and LONGRIFLE notified. Firing shall not continue until cleared by LONGRIFLE.**



FFP #1

FFP #2

FFP #3

FFP #4

FFP #5

FFP #6

RANGE 130J
Sniper Hides