

## RANGE AND TRAINING REGULATIONS

**Range:**  
R116B

**Lateral Limits:**

**Left** from grid 6384 8882 at 207° mag  
**Right** from grid 6381 8885 at 218° mag

**Min/Max Engagement Distance:**

**Min** 3 yards  
**Max** 50 yards

**Range Facilities:** Admin office; control tower; head facility; 25 firing points with pop-up targets at 3, 7, 15, 25 and 50-yard firing lines; control gate

**Location:**  
6382 8884

**Boundaries:**  
**As depicted on attached Graphics**

**Type:**  
BZO/EMP Range

**Troop Penetration:**  
**Not beyond Targets**

**Impact Area:**  
X-Ray Impact Area

**Range Phone Number(s):**  
  
(760) 725-0103

**Allowable Wpns:**  
Rifles 7.62 and below; pistols .45 cal. and below; Shotguns

**Assigned to:**  
CO, MCB

**Date Revised:**  
5 January, 2007

### GENERAL INSTRUCTIONS

1. **A safety Brief will conducted prior to each live fire event to all participants.**
2. IOT occupy this range unit must have the following personnel/equipment:
  - a. RSO
  - b. Corpsman & Safety Vehicle
  - c. Positive Communication with LONGRIFLE
  - d. If ammunition is present on range - Ammo Guards will be armed.
3. IOT go into a hot status on range unit must have the following personnel/equipment:
  - a. OIC
  - b. RSO
  - c. Corpsman & Safety Vehicle
  - d. Positive Communication with LONGRIFLE
4. **RSO will verify the left and right lateral limits utilizing a compass and map.**
  - a. Overall range lateral limits will be identified.
  - b. Each firing position lateral limits will be identified.
5. The RSO & OIC will personally observe each live fire event.
6. **A signed ORM must be on hand IOT conduct training.**
7. **A non-participating Corpsman will be stationed with safety vehicle.**
8. **A full rehearsal will be conducted prior to live fire.**
9. **Unit is required mark/post signs for any lateral limits and/or MSLs listed in this brief if not already marked/posted.**
10. **At no time will any unit go from live fire to blank or SESAMS force-on-force within a 24 hour period**
11. **At any time Range guards are required, they will be posted in pairs with positive communication with the RSO.**
12. Ammunition will only be issued per event and accounted for on NAVMC 11381.
13. After each event, unit leaders will conduct a line out.
14. Each RSO will certify to the OIC that all weapons are in Condition 4 prior to exiting the range and all ammunition is accounted for.
15. Ensure all weapons are cleared and inspected prior to departing the firing line.
16. All weapon malfunctions shall be corrected per the appropriate TM/FM, and unit SOP.

## RANGE AND TRAINING REGULATIONS

### SPECIAL INSTRUCTIONS

1. All firing must take place within the depicted firing box while utilizing the established lateral limits.
2. At no time will the RSO allow any target to be exposed to any shooter that would allow that shooter to fire out of the lateral limits.
3. Personnel shall proceed either on foot or by military vehicle to firing positions, targets, and range butts area. Civilian vehicles shall NOT be used for this purpose.
4. **This range conflicts with R116C, R116D & Aliso Canyon.**
5. Helicopters may over fly the area at 1,000' AGL and above.
6. Serious injury may occur should a target system actuate when personnel are scoring targets or performing maintenance.
7. Range fan limits are identified from the left and right lateral markers and selected firing positions.
8. The User Element shall provide paraffin impregnated and paper overlay "E" silhouette targets for the training evolution.
9. Only authorized personnel are allowed in the control tower and pop- up target area.
10. The R-116 Complex LZ is located at grid 6430 8875. The coordination for use of this LZ shall be conducted with the Range Operations Officer.

### Scheduling

1. Scheduling of this range must be approved by Naval Special Warfare Command.
2. The POC is the Scheduling OIC at (619) 437-4561.
3. Once approval from Naval Special Warfare Command has been given, unit will utilize RFMSS to schedule range.

Scheduling Conflicts	R116B	Conflict Notes
Aliso Canyon	1	Note (1) – Closes any Movement.
R116A	None	Note (2) – Closes use of Range
R116C	2	Note (3) – For breaches on R116D greater than 1.5lbs NEW but not to exceed 5lbs, R116B is in conflict. R116B cannot be occupied and the RSO from R116D must post range guards or closed gate prior to conducting training.
R116D	3	
R117A	None	



**Firing Box**